

TEXAS HOLD 'EM ALGORITHMS FOR DISTRIBUTED COMPRESSIVE SENSING

Stephen R. Schnelle,^r Jason N. Laska,^r Chinmay Hegde^r
Marco F. Duarte,^p Mark A. Davenport,^r Richard G. Baraniuk^r

^r Department of Electrical and Computer Engineering, Rice University, Houston, TX 77005

^p Program in Applied and Computational Mathematics, Princeton University, Princeton, NJ 08544

ABSTRACT

This paper develops a new class of algorithms for signal recovery in the distributed compressive sensing (DCS) framework. DCS exploits both intra-signal and inter-signal correlations through the concept of joint sparsity to further reduce the number of measurements required for recovery. DCS is well-suited for sensor network applications due to its universality, computational asymmetry, tolerance to quantization and noise, and robustness to measurement loss. In this paper we propose recovery algorithms for the sparse common and innovation joint sparsity model. Our approach leads to a class of efficient algorithms, the Texas Hold 'Em algorithms, which are scalable both in terms of communication bandwidth and computational complexity.

Index Terms— Signal reconstruction, multisensor systems, data compression

1. INTRODUCTION

Compressive sensing (CS) is an emerging framework for the acquisition of signals $x \in \mathbb{R}^N$ that are exactly or approximately K -sparse in a known basis [1, 2]. In CS, we acquire x via a length- M measurement vector $y = \Phi x$, where Φ is a measurement matrix, usually sporting randomly drawn independent entries. When K is sufficiently small, the number of measurements M can be much less than the dimension of the signal N . A compelling example of this type of applications is sensor networks, where there has been significant interest in CS [3–7]. In *distributed compressive sensing* (DCS) we aim to recover the data acquired from a group of J sensors from compressive measurements that are obtained either independently [3, 4] or collaboratively [5–7].

Most existing adaptations of CS to sensor networks require the collection of up to $\mathcal{O}(J)$ measurements per sensor at

a centralized location. The resulting communication scheme leads to congestion collapse when the network size becomes significant. Furthermore, the computational complexity of the algorithms used for signal recovery are typically at least quadratic in the number of measurements, further diminishing the scalability of CS to large sensor network sizes.

In this paper, we introduce a new algorithm, dubbed the *Texas Hold 'Em* algorithm, tailored for the DCS scenario in which each sensor observes the combination of a common sparse component and a unique innovation component [3, 4]. The algorithm is the first practical recovery method proposed for this setting. Our procedure separates the recovery of the common and innovation components into two stages, which in some cases allows us to significantly reduce the number of measurements and improve on the lowest signal-to-noise ratio (SNR) that still enables accurate recovery of the signal ensemble. The measurements used to recover the common component are obtained by either averaging or concatenating measurements from all the sensors in the network, which makes the amount of communication per sensor independent from the network size J . Furthermore, each innovation component is recovered locally at the corresponding sensor, making the recovery computational complexity only linear in J .

This paper is organized as follows. In Section 2 we provide the necessary background on CS and DCS, and in Section 3 we describe the Texas Hold 'Em algorithms. In Section 4 we provide some preliminary experimental results illustrating the performance of our algorithms. Finally, Section 5 concludes with a brief discussion.

2. BACKGROUND

2.1. Compressive sensing (CS)

We first provide a brief overview of the CS framework. To begin, we acquire a signal $x \in \mathbb{R}^N$ via the linear measurements

$$y = \Phi x + e, \quad (1)$$

where Φ is an $M \times N$ measurement matrix modeling the sampling system, $y \in \mathbb{R}^M$ is the vector of samples acquired, and e is an $M \times 1$ vector that represents measurement errors. If

This work was supported by the grants NSF CCF-0431150 and CCF-0728867, DARPA/ONR N66001-08-1-2065, ONR N00014-07-1-0936 and N00014-08-1-1112, AFOSR FA9550-07-1-0301, ARO MURIs W911NF-07-1-0185 and W911NF-09-1-0383, and the TI Leadership University Program. It was developed in the spirit of title-driven research: namely, the idea that publication of computational research demands the selection of an appropriate title needed for publicizing that research. The authors are listed in reverse alphabetical order.

x is K -sparse when represented in the *sparsity basis* Ψ , i.e., $x = \Psi\alpha$ with $\|\alpha\|_0 := |\text{supp}(\alpha)| \leq K$, then we need to acquire only $M = \mathcal{O}(K \log(N/K))$ random measurements and still recover the signal x [1, 2, 8]. In particular, for bounded errors of the form $\|e\|_2 \leq \epsilon$, the convex program

$$\hat{\alpha} = \arg\min_{\alpha} \|\alpha\|_1 \text{ s.t. } \|\Phi\Psi\alpha - y\|_2 \leq \epsilon \quad (2)$$

can recover a sparse or compressible signal. Theorem 1.2 from [9] makes this precise by bounding the recovery error of α with respect to the measurement noise norm, denoted by ϵ , and with respect to the best approximation of α . In the case where α is K -sparse, the bound reduces to

$$\|\hat{\alpha} - \alpha\|_2 \leq C\epsilon, \quad (3)$$

where C is a constant that depends only on δ . Observe that if K is small, then the number of measurements required can be significantly smaller than the Shannon-Nyquist rate.

While convex optimization techniques like (2) are a powerful method for CS signal recovery, there also exist a variety of alternative algorithms that are commonly used in practice and for which comparable performance guarantees can be established. In particular, iterative algorithms such as CoSaMP and iterative hard thresholding (IHT) are known to satisfy (3) with different values for the constant C [10, 11].

2.2. Distributed compressive sensing (DCS)

DCS is an extension of CS for acquisition of multiple signals that exploits both intra- and inter-signal correlation structures [4]. In a typical DCS scenario, a number of sensors measure signals (of any dimension) that are each individually sparse in some basis and also correlated among sensors. Each sensor *independently* encodes its signal by projecting it onto just a few vectors of a second, incoherent basis (such as a random one) and then transmits the resulting coefficients to a collection point. Under the right conditions, a decoder at the collection point can *jointly* reconstruct all of the signals.

The DCS theory rests on a concept known as the *joint sparsity* of a signal ensemble. A *joint sparsity model* (JSM) specifies the correlations present between the values and locations of the nonzero coefficients for each of the signals being acquired. Existing JSMs have been designed to capture the properties of the physical event being measured; each JSM comes with specially tailored recovery algorithms that leverage the correlations between the signals. These specialized algorithms provide us with reduced bounds on the number of measurements needed for successful recovery when compared to standard CS applied on each signal independently.

While previous contributions have focused on the common sparse supports model [3, 4], we focus in this paper on the sparse common and innovations model (labeled JSM-1 in [3, 4]). We use the following notation for signal ensembles. Denote the signals in the ensemble by x_j , $j = 1, 2, \dots, J$

where each $x_j \in \mathbb{R}^N$. We assume that there exists a known sparse basis Ψ for \mathbb{R}^N in which x_j can be sparsely represented. JSM-1 assumes that all signals share a common sparse component while each individual signal contains a sparse innovations component:

$$x_j = z_c + z_j, \quad j \in \{1, 2, \dots, J\}$$

with $z_c = \Psi\alpha_c$, $\|\alpha_c\|_0 = K_c$, and $z_j = \Psi\alpha_j$, $\|\alpha_j\|_0 = K_j$. Thus, the signal z_c is common to all of the x_j and has sparsity K_c in the basis Ψ . The signals z_j are the unique portions of the x_j and have sparsity K_j in the basis Ψ .

A practical situation well-suited to this model is a group of sensors measuring temperatures at a number of locations throughout the day. The temperature readings x_j have both temporal (intra-signal) and spatial (inter-signal) correlations. Global factors, such as the sun and prevailing winds, could have an effect z_c that is both common to all sensors and structured enough to permit sparse representation. More local factors – such as shade, water, or animals – could contribute localized innovations z_j that are also structured (and hence sparse). A similar scenario could be imagined for a sensor network recording light intensities, air pressure, or other phenomena. All of these scenarios correspond to measuring properties of physical processes that change smoothly in time and in space and thus are highly correlated.

3. THE TEXAS HOLD 'EM ALGORITHM

3.1. Averaged Community Texas Hold 'Em

Before we state our proposed algorithm, we must first set some notation. We begin by noting that our measurements are obtained via $y_j = \Phi_j x_j$. We then decompose each y_j into two components, $[y_j^c \ y_j^h]$. We let M_c and M_h denote the length of y_j^c and y_j^h , so that $M = M_c + M_h$. The measurements y_j^c are the *community* measurements. These measurements are shared among all the sensors. The measurements y_j^h are the *hold* measurements, which are not transmitted but instead are retained by each sensor. Similarly, we let Φ_j^c and Φ_j^h denote the matrices obtained by selecting the appropriate rows of Φ_j .

The Texas Hold 'Em algorithm provides an approach for recovering each x_j . The algorithm proceeds by first fusing the community measurements to obtain an estimate of z_c so that each sensor is then able to use its hold measurements to recover z_j . While we will describe a number of simple variations on this algorithm below, the variant we analyze in this work assumes that Φ_j^c is fixed for all j . We then define

$$\bar{y} = \sum_{j=1}^J \frac{y_j^c}{J}.$$

We also let $\bar{\Phi} = \Phi_j^c$. Observe that \bar{y} simply averages the community measurements, and thus we dub this variation of the algorithm *Averaged Community*.

Algorithm 1 Texas Hold 'Em – Averaged Community

input: $\Psi, \bar{\Phi}, \bar{y}, K_c, \Phi_j, y_j, K_j$
 $\hat{\alpha}_c \leftarrow \text{RECOVER}(\bar{\Phi}\Psi, \bar{y}, K_c)$
 $\tilde{y}_j \leftarrow y_j - \Phi_j\Psi\hat{\alpha}_c$
 $\hat{\alpha}_j \leftarrow \text{RECOVER}(\Phi_j\Psi, \tilde{y}_j, K_j) + \hat{\alpha}_c$
output: $\hat{x}_j = \Psi\hat{\alpha}_j$

We describe how the Texas Hold 'Em algorithm recovers a particular z_j in Algorithm 1. First, we attempt to estimate the common component z_c from \bar{y} . This is denoted via the notation $\text{RECOVER}(\Phi, y, K)$, which simply denotes any sparse recovery algorithm, taking as inputs a dictionary Φ , a measurement vector y , and a sparsity K , and returning a K -sparse signal estimate $\hat{\alpha}$ for which a guarantee such as (3) holds. We then remove the contribution of the common component to all available measurements by forming the updated measurement vectors $\tilde{y}_j = y - \Phi_j\Psi\hat{\alpha}_c$. The algorithm then attempts to recover the different innovation components from the vectors \tilde{y}_j .

Note that Algorithm 1 requires two phases of communication. First, we must compute \bar{y} ; we can do this by collecting all y_j^c at a central location in a multicast network architecture or by using more intelligent network protocols in a multihop network architecture. Second, we relay the estimate $\hat{\alpha}_c$ to all sensors either via a broadcast or multihop network.

3.2. Performance bounds

We now provide some intuition behind the estimation step for z_c featured in the Texas Hold 'Em algorithm.¹ Observe that

$$\bar{y} = \bar{\Phi}(z_c + \bar{z}), \quad (4)$$

where $\bar{z} = \sum_{j=1}^J z_j/J$. For large values of J , provided that the innovation components are not overly coherent, \bar{z} tends to zero; thus, we can expect that \bar{y} preserves the common component while cancelling out the contribution of the innovations. This is made precise in the following theorem.

Theorem 3.1. *Let $K = \max(2K_c, 2K_j)$. Suppose that Φ_j is fixed for all j to be an $M \times N$ random matrix with $M_c = \mathcal{O}(K \log(N/K))$. Suppose also that $\|z_c\|_0 = K_c$, $\|z_j\|_0 = K_j$ and $\|z_j\|_2 = \kappa$ for each j , and the z_j are pairwise orthogonal. Then with high probability*

$$\|\hat{x}_j - x_j\|_2 \leq \frac{C'\kappa}{\sqrt{J}},$$

where C' depends only on the constant from (3).

Proof. We begin by noting that

$$\|\hat{x}_j - x_j\|_2 \leq \|\hat{z}_j - z_j\|_2 + \|\hat{z}_c - z_c\|_2. \quad (5)$$

¹Note that Texas Hold 'Em's recent popularity has led to a great deal of research into optimal strategies. As a general guideline, it is typically beneficial to play relatively few hands while betting and raising often during the hands played [12].

From the orthogonality and norm assumptions on z_j , we can easily show that $\|\bar{z}\|_2 = \kappa/\sqrt{J}$. From the assumptions on M , we have that with high probability [8], $\bar{\Phi}\Psi$ satisfies the restricted isometry property (RIP) of order K with constant δ , $\bar{\Phi}_j\Psi$ satisfies the RIP of order K with constant δ , and

$$\|\bar{\Phi}\bar{z}\|_2 \leq \sqrt{1+\delta}\|\bar{z}\|_2 = \sqrt{1+\delta}/\sqrt{J}.$$

By assumption, we also have that the recovery algorithm used to estimate \hat{z}_c satisfies (3), and thus from (4) we have that

$$\|\hat{z}_c - z_c\|_2 \leq C\sqrt{1+\delta}\kappa/\sqrt{J}. \quad (6)$$

Furthermore, since $\hat{z}_c - z_c$ is $2K_c$ -sparse and $\bar{\Phi}_j\Psi$ satisfies the RIP of order at least $2K_c$, we have

$$\|\Phi(\hat{z}_c - z_c)\|_2 \leq C(1+\delta)\kappa/\sqrt{J}.$$

From this we observe that since $\tilde{y}_j = \Phi_j z_j + \Phi(z_c - \hat{z}_c)$, we may again apply (3) to obtain

$$\|\hat{z}_j - z_j\|_2 \leq C^2(1+\delta)\kappa/\sqrt{J}. \quad (7)$$

The theorem follows by substituting (6) and (7) into (5). \square

3.3. Variations

Above we assumed that Φ_j^c was fixed for all j . This is not actually necessary. To modify the algorithm for the more general case where each Φ_j can be selected independently, we simply need to redefine \bar{y} and $\bar{\Phi}$ according to

$$\begin{aligned} \bar{y} &= [(y_1^c)^T, (y_2^c)^T, \dots, (y_J^c)^T]^T, \\ \bar{\Phi} &= [(\Phi_1^c)^T, (\Phi_2^c)^T, \dots, (\Phi_J^c)^T]^T. \end{aligned}$$

This method, which we call *Combined Community* Texas Hold 'Em to distinguish it from Algorithm 1, will require increased computation and communication costs. However, it may result in better performance as the estimate of the common component should be more accurate. A second variation which we do not explore here replaces the cancellation step with the compressive-domain interference cancellation approach of [13]. Since the estimate \hat{z}_c is likely noisy, this approach would completely remove the contribution of z_c , provided that we have correctly identified the support of α_c .

4. EXPERIMENTS

We now present preliminary experimental results illustrating the performance of the Texas Hold 'Em algorithm. In Figure 1 we show the normalized mean-squared error (MSE) for Algorithm 1 as we increase the number of measurements per sensor as a multiple of the total signal sparsity $K = K_c + K_j$. In our example, we set $N = 512$, $K_c = 10$, and $K_j = 30$. The common component nonzero coefficients are 4 times as large as the innovative components, enough to ensure that the innovative components can be averaged away. We perform




Fig. 1. Normalized MSE versus M/K for fixed $N = 512$, $K_c = 10$, $K_j = 30$. Each line corresponds to a different percentage of community measurements per sensor.

the experiment for several different percentages of community measurements per sensor – 20%, 50%, or 75% – and we compare against traditional reconstruction on each sensor independently, i.e., 0% community. For lower values of M sharing measurements results in lower error. For values of M that provide feasible recovery (i.e. at least $M/K \approx 2$), we see the expected decay in MSE; additionally, sharing a larger fraction of measurements improves recovery performance. For larger number of measurements M , the advantage of sharing most measurements vanishes.

5. DISCUSSION

In a possible extension to our framework, one could consider the case where the common component is no longer sparse in a known basis; in mathematical terms,

$$x_j = z_c + z_j, \quad j \in \{1, 2, \dots, J\}$$

$$z_j = \Psi \alpha_j, \quad \|\alpha_j\|_0 = K_j,$$

but z_c is not necessarily sparse in the basis Ψ . This model, referred to as JSM-3 [4], is relevant in situations where several sources are recorded by different sensors together with a background signal that is not sparse in any basis. Consider, for example, a computer vision-based verification system in a device production plant. Cameras acquire snapshots of components in the production line; a computer system then checks for failures in the devices for quality control purposes. While each image could be extremely complicated, the ensemble of images will be highly correlated, since each camera observes the same device with minor (sparse) variations.

Our approach can be immediately applied to this scenario with only two main differences. First, the total number of

community measurements must be sufficiently large to enable recovery of z_c , and second, we must have an alternative method for recovery of z_c . In the total absence of any prior knowledge concerning z_c , a reasonable approach is to require at least N community measurements so that a least-squares approach to estimating z_c can be reasonably accurate.

6. REFERENCES

- [1] D. Donoho, “Compressed sensing,” *IEEE Trans. on Information Theory*, vol. 6, no. 4, pp. 1289 – 1306, April 2006.
- [2] E. Candès, “Compressive sampling,” in *Int. Congress of Mathematics*, 2006, vol. 3, pp. 1433–1452.
- [3] M. F. Duarte, M. B. Wakin, D. Baron, and R. G. Baraniuk, “Universal distributed sensing via random projections,” in *International Workshop on Inf. Processing in Sensor Networks (IPSN)*, Nashville, TN, Apr. 2006, pp. 177–185.
- [4] D. Baron, M. F. Duarte, S. Sarvotham, M. B. Wakin, and R. G. Baraniuk, “Distributed compressive sensing,” 2005, Preprint.
- [5] W. Bajwa, J. Haupt, A. Sayeed, and R. Nowak, “Compressive wireless sensing,” in *Proc. 5th International Workshop on Inf. Processing in Sensor Networks (IPSN)*, Nashville, TN, Apr. 2006, pp. 134–142.
- [6] M. Rabbat, J. D. Haupt, A. Singh, and R. Nowak, “Decentralized compression and predistribution via randomized gossiping,” in *International Workshop on Inf. Processing in Sensor Networks (IPSN)*, Nashville, TN, Apr. 2006, pp. 51–59.
- [7] W. Wang, M. Garofalakis, and K. Ramchandran, “Distributed sparse random projections for refinable approximation,” in *International Workshop on Inf. Processing in Sensor Networks (IPSN)*, Cambridge, MA, Apr. 2007, pp. 331–339.
- [8] R. G. Baraniuk, M. A. Davenport, R. DeVore, and M. B. Wakin, “A simple proof of the Restricted Isometry Property for random matrices,” *Const. Approx.*, vol. 28, no. 3, pp. 253–263, Dec. 2008.
- [9] E. J. Candès, “The restricted isometry property and its implications for compressed sensing,” in *Compte Rendus de l’Academie des Sciences, Paris, Series I*, 2008, vol. 346, pp. 589–592.
- [10] D. Needell and J. Tropp, “CoSaMP: Iterative signal recovery from incomplete and inaccurate samples,” *Appl. Comput. Harmon. Anal.*, vol. 26, no. 3, pp. 301–321, May 2008.
- [11] T. Blumensath and M. E. Davies, “Iterative hard thresholding for compressed sensing,” *Appl. Comput. Harmon. Anal.*, July 2008, To appear.
- [12] D. Harrington and B. Robertie, *Harrington on Hold ’em: Expert Strategy For No-Limit Tournaments; Volume I: Strategic Play*, Two Plus Two Publication, 2004.
- [13] M. A. Davenport, P. T. Boufounos, and R. G. Baraniuk, “Compressive domain interference cancellation,” in *Workshop on Signal Processing with Adaptive Sparse Structured Representations (SPARS)*, Saint-Malo, France, Apr. 2009.